

# Amber Guard T210


## PROXIMITY AND LOCATION TRACKER




Two - way voice communication



Man-Down & No movement events




Slim design for comfortable every day use



5 configurable buttons



Bluetooth for external devices and Low Energy sensors



Alarm button feature

**AGT210 is an slim and lightweight AUTONOMOUS personal tracker with GNSS, GSM and Bluetooth connectivity.**

You can add a Bluetooth bracelet for quarantine tracking to this device and get alerts if the bracelet is tampered or not in proximity of the GPS tracker. Designed for quarantine tracking and social distancing alerts, for everyone who performs activity without close or direct supervision of others: home quarantine, hotel guest and staff, healthcare workers and visitors, maintenance workers, self-employed or employees working out of standard work hours. Device has high quality voice, programmable LED indications and 1050mAh battery.

## MANAGEMENT


- Smart configurator
- Cloud based updates
- User friendly interface

## DESIGN

- Slim housing
- 5 configurable buttons
- Neck or belt wear

## TELEMETRY

- Fast position acquisition
- I/O element statuses
- Emergency events



## Module

Name	AGT210
Technology	GSM/GPRS/GPS/BLUETOOTH

## GNSS

GSNN	GPS, GLONASS, GALILEO, BEIDOU, SBAS, QZSS, DGPS
Receiver	33 channel
Tracking sensitivity	-165 dBm
Accuracy	< 3 m
Hot start	< 1 s
Warm start	< 25 s
Cold start	< 35 s

## Cellular

Technology	GSM
2G bands	Quad-band 850 / 900 / 1800 / 1900 MHz
Data transfer	GPRS Multi-Slot Class 12 (up to 240 kbps), GPRS Mobile Station Class B
Data support	SMS (text/data)

## Power

Input voltage range	5 V DC with over-voltage protection
Internal Back-up battery	1050 mAh Li-Ion battery

## Bluetooth

Specification	4.0 + LE
Supported peripherals	Headset

## Physical specification

Dimensions	93 × 64 × 10 mm (L x W x H)
Weight	80 g

## Interface

Configurable buttons	5
GNSS antenna	Internal High Gain
GSM antenna	Internal High Gain
USB	2.0 Micro-USB
LED indication	3 LEDs
SIM	Micro-SIM + eSIM possibility
Memory	128MB internal flash memory

## Operating environment

Operating temperature	-25°C to +65°C
Storage temperature (without battery)	-25°C to +85°C
Operating humidity	5% to 95% non-condensing
Ingress Protection Rating	IP41

## Features


Sensors	Accelerometer
Scenarios	Over Speeding, Man-Down, Alarm, Auto Geofence, Manual Geofence, Action on Call
Sleep modes	GPS Sleep, Online Deep Sleep, Deep Sleep, Ultra Deep Sleep
Configuration and firmware update	FOTA Web, FOTA, Teltonika Configuration (USB, Bluetooth), FMBT mobile application (Configuration)
SMS	Configuration, Events, Debug
GPRS commands	Configuration, Debug
Time Synchronization	GNSS, NITZ, NTP


## Certification & Approvals


Regulatory	CE/RED, SAR
------------	-------------



Need help? Contact 24/7 live support!

 In App Chat

 [support@amberconnect.com](mailto:support@amberconnect.com)

 Chat via website [www.amberconnect.com](http://www.amberconnect.com)

Works with Android phones and tablets, iPhone, iPad.

Compatible with Chrome, Mac and PC web browsers.



Amber Connect

Scan this QR code to download your App

©2024 Amber Connect Limited. All rights reserved.