

Amber Swift C200

Versatile Asset GNSS Tracker



GPS & WiFi & LBS Positioning

A synergy of multiple positioning systems ensures the locations to be accurately displayed on cloud platform.



6000 mAh Rechargeable Battery

Ensures about one-month stand by time, also this device can be redeployed after charging



IP67 Dust and Water Resistance

Rugged and reliable design ensures stable operation in extreme environmental conditions.



Waterproof Mic

Allows you to monitor the sounds around device in all weather conditions.



Tamper Alert

When the pressure sensitive button is loose, You'll get notified of device removal.



Strong Magnetic Base


Can be attached on metallic surface tightly, you don't have to pay much time for installation

VERSATILE ASSET GNSS TRACKER


The ASC 200 is a simple and functional GPS tracker designed for a variety of uses including fleet services, freight operations, high-value asset tracking, and special needs individuals. A rechargeable 6000mAh internal battery allows for an operation time around 25 days, and its durable, waterproof casing is perfect for even the toughest environments.



Vehicle Tracking



Container



Valuables

GNSS

Positioning system	GPS+Wifi+LBS
Frequency	L1
Positioning accuracy	<2.5mCEP
Track sensitivity	-165dBm
Acquisition sensitivity	-148dBm
TTFF (open sky)	Avg. hot start ≤ 1 sec Avg. cold start ≤32sec

Cellular

Communication network	GSM
Frequency	Quad-band 850/900/1800/1900 MHz

Power

Battery	6000mAh/3.7V industrial-grade Li-Polymer battery
Working modes	Mode 1: Regular-upload mode Mode 2: Tracking mode Mode 3: Power-saving mode
Standby time	Up to 1.5 years in power-saving mode

Interface

LED indication	GNSS (blue), Cellular (Green), Power (Red)
SIM	Nano-SIM
Data storage	32+32Mb
Tamper proof	Light sensor

Physical specification

Dimensions	85.0 × 58.0 × 29.0mm
Weight	161g

Operating environment

Operating temperature	-20°C to +70°C
Operating humidity	5% ~ 95%, non-condensing
Ingress Protection Rating	IP67

Feature

Voice Monitoring Range	≤3 meters
Sensors	Accelerometer, Light sensor
Scenarios	Low battery alert. Tamper alert. Vibration alert. Over-speed alert, Geo-fence.
Specialties	On/off button disabling, Voice recording, Over-decibal notification



In App Chat

support@amberconnect.com

Chat via website www.amberconnect.com

Works with Android phones and tablets, iPhone, iPad.
Compatible with Chrome, Mac and PC web browsers.



Amber Connect

Scan this QR code to download your App

©2024 Amber Connect Limited. All rights reserved.